



11

**BOTAS DE  
PROTEÇÃO**



### 200J STEEL TOE CAP

All REBEL Safety Gear toe caps are tested to an impact resistance of 200 Joules. This means that they can withstand a 20kg weight dropping from a height of one metre, or they can also withstand a 2,000kg mass rolling over the toe cap. They protect your feet from being crushed when it counts most. We have various toe caps, offering the same protection but in application-relevant alternatives:

A non-metallic, EN approved composite-carbon toe cap (extra-wide profile)  
A wide profile, EN approved steel toe cap.  
All our toe-caps are EN and SABS approved.



### ANTI PENETRATION

REBEL Safety Gear Anti-Penetration technology is available in variants across our range, where applicable. This protects your feet against sharp objects which might otherwise pierce the sole, ensuring your feet are always safe from injury. The available variants are:

Steel plate midsole protection.  
Metal-free, zero penetration Kevlar mesh.



### GENUINE LEATHER

REBEL Safety Gear uses only the best quality genuine leather for our safety footwear. We use either full grain waxy leather, or Barton print leather and Nubuck leather, while some variants are water resistant.



### HACCP APPROVED

HACCP (Hazard Analysis And Critical Control Points) compliance ensures that food products are kept safe from any biological, chemical or physical hazards during the production process. These principles are included in the ISO 22000:2011 standard. HACCP compliant footwear means that it is usually free from laces and other appendages that could carry biological hazards. It also uses smooth leather. HACCP gloves (also known as foodsafe gloves) mean that they are safe for food contact.



### REFLECTIVE TAPE

REBEL Safety Gear Reflective Tape gives you high visibility with your safety footwear, when it's essential that you are noticed in work environments, or even on the way to work, when there is limited or low visibility.



### SLIP RESISTANT

REBEL boots and shoes are tested for slip resistance in accordance with both SABS 20345:2014 and ISO 20345:2011 standards. All of our safety boots and shoes are classified either as SRA, SRB or SRC:

- RA – outsole tested on ceramic surfaces with soapy solutions.
- SRB – outsole tested on steel surfaces with a glycerine solution.
- SRC – outsole tested in accordance with both SRA and SRB.



### MICROFIBRE

REBEL Safety Gear uses microfibre – a very fine synthetic yarn – in select products, since it cleans easily, it is breathable and it is cost effective. Microfibre offers excellent physical strength, and is lightweight and eco-friendly.



### COLD RESISTANT

REBEL Safety Gear ColdRoom boots have full nitrile rubber soles which are resistant to -20°C (degrees Centigrade). The uppers are heavily padded to insulate the foot from cold environments, but we do suggest extra socks.



### ANTI STATIC

REBEL Safety Gear Anti-static technology allows any static build-up in your body or clothes to dissipate through the footbed and sole of the shoe, into the earth. This prevents the wearer from suffering uncomfortable static shocks, and is essential in work environments where sensitive electrical components are being used.



### ARC FLASH

An arc flash is the light and heat produced from an electric arc (spark) that jumps across power lines or electrical circuits. Switchgears and distribution panels often handle very high energies, and may require arc-flash PPE to protect the worker in the event of an arc flash. Arc flash footwear is completely non-conductive, and ensures that the current does not pass through the user to the earth. Eskom arc flash spec 34-232 requires the sole of the footwear to sustain no breakdown for an AC Voltage raise at 5 kV a per minute up to 20 kV, and held for 60 seconds.



### CHEMICAL RESISTANT

REBEL Safety Gear Chemical Resistant technology makes use of full grain, high quality waxy cow leather, which is further treated to ensure both water resistance and chemical resistance. Additionally, the full nitrile sole is resistant to the harshest chemical conditions underfoot, keeping your feet safe from all angles.



### HEAT RESISTANT UP TO 300°C

REBEL Safety Gear Heat Resistant technology offers you piece of mind in working environments where you need a safety workboot to protect you against the harshest temperature conditions. The Heat Resistant Outsoles can withstand temperatures of up to 300°C (degrees Centigrade) for up to 60 seconds.



### NST NO STEEL TOE CAP

Some REBEL Safety Gear NST (No Steel Toe) or Soft Toe safety shoes and boots are application based workboots which still include a vast range of safety technologies, but where no steel toe cap is required.



### WELDING

REBEL Safety Gear Welding protection stops sparks and other extremely hot and dangerous materials from getting into your safetyboot. This is done through the use of padded shields over the lacing system, thus ensuring that hot shards and welding debris cannot slip through the tongue of the shoe and come into contact with your foot.



### LADIES

Ladies' foot sizing is generally smaller and narrower than men's sizing. "Unisex" foot sizing is based on a men's foot, and this may result in a loose, uncomfortable fit for a lady. The Rebel Ladies range is specifically built around a Ladies last (the plastic mould around which the shoe is built). This ensures that the Ladies range will fit comfortably, and look more streamlined than simply wearing a men's boot or shoe. We offer a full sizing range from Ladies Size 2 to Ladies Size 8. If they are too narrow, then rather try a unisex design – comfort should always be your main consideration when buying protective footwear.



### WATER RESISTANT

REBEL Safety Gear Water Resistant technology gives you peace of mind when working in wet environments. Keeping your feet dry allows you to focus on the task at hand, rather than dealing with safety concerns when your safety footwear and feet get soaked. We have two variants of Water Resistance for applicable products:

Hydroseal 100% waterproof lining.  
S2 water resistant coating on the leather of the safety shoe.



### SHOCK ABSORBENT

REBEL Safety Gear Shock Absorbent technology gives you the most comfortable feel underfoot during use. The use of our various Shock Absorbent technologies, as listed below, ensures complete comfort:

Soft, spongy polyurethane midsoles.  
Cushioned REBEL Safety Gear footbeds with anti-microbial properties.



### OIL RESISTANT

REBEL Safety Gear's Oil Resistant technology protects the outsoles from any damage in the event that they come into contact with oil.



### NON METALLIC

REBEL Safety Gear Non-Metallic safety footwear is essential in environments where metal detectors are used. The carbon plastic toe-caps, Kevlar, anti-penetration midsoles and plastic lace rings give the wearer full protection from environmental hazards, while the shoes will not set off metal detectors.



### FOODSAFE

This symbol means that the material used in the product is suitable for food handling. The aim is to ensure that there are no toxins that can be passed into the food from the handling product. Rebel has a certain range of gloves that are classified as foodsafe.



## SHOVA –GUMBOOT DE PVC DE USO GERAL



**CODE: VBBGP**  
Preta/Preta

- Gumbboot unissexo de uso geral em PVC na altura do joelho para uso em indústrias agrícolas e de processamento de alimentos
- Com um peso médio de 2kg, eles são resistentes e possuem excelente aderência e suporte exclusivo.
- Cores: Black, Green/Black, White/Grey
- Tamanho: UK 4–12



**CODE: VWG25**  
Branca/Cinzeno



**CODE: VGBGP**  
Verde/Cinzeno



**CODE: MBBR**  
Preta/Preta

## SHOSHALOZA –STEEL TOE CAP GUMBOOTS



**CODE: ZBBSR**  
Black/Black  
Steel Toe Cap

- A heavy duty knee-length PVC mining gumbboot with safety toe protection.
- With an average weight of 2.4kg, they are hard wearing and have excellent grip and sole support.
- Available with international certifications under the brand Stimela
- Colours: Black /Black, Black /Grey, White /Grey
- Sizing: UK 3–14



**CODE: ZBG25SP**  
White/Grey  
Steel Toe Cap



**CODE: ZWG25S**  
White/Grey  
Steel Toe Cap



**CODE: ZBG25SE**  
Black/Grey  
Steel Toe Cap



## SHOVA -CHELSEA ANKLE BOOTS



- A unisex, general purpose PVC Chelsea Ankle Boot for use in the agricultural and food processing industries.
- With an average weight of 1.5kg, they are hard wearing and have excellent grip and sole support.
- Colours: Black, Green/Black, White/Grey
- Sizing: UK 4-12

**CODE: VBBGPC**  
Black/Black



**CODE: VWG25C**  
White/Grey



**CODE: VGBGPF**  
Green/Grey



**CODE: VWG25CLG**  
White/Grey



**CODE: VBBGPCLG**  
Black/Black



## STIMELA XP METAL-FREE, FULL PROTECTION

- Composite toe cap
- Textile mid sole
- Integrated metatarsal protection
- A full metal free, heavy duty, knee length PVC mining gumboot with safety toe protection
- Anti-penetration textile midsole and a fully integrated metatarsal protector
- 2.35kg average weight
- Hard wearing, excellent grip and sole support
- Also available without the Textile Mid Sole.
- Colours: Black/Grey, White, Grey
- Sizing: UK 4-13



**CODE: XBG25SPM**  
Black/Grey with Midsole



**CODE: XBG25SM**  
Black/Grey



**CODE: XWG25SM**  
White/Grey

## HEAVY DUTY LEATHER SAFETY BOOT



### CODE: ACRS2

- Safelite is a lightweight leather industrial safety Chelsea boot. Designed with a leather upper and a dual-density polyurethane sole. Offering full safety protection to the toe, this boot is hard-wearing, has excellent grip and slip resistance.
- Water resistance
- Full safety toe protection
- 2mm full-grain leather
- Fine cow print
- Dual density PU direct injected sole
- Average weight of 1.25kg
- Polycarbonate Toe Cap



# BASIX

IT'S TIME TO WORK

**Features:** CODE: B700160

- › Steel Toe Cap
- › Steel Midsole offering penetration resistance to sharp objects
- › Reflective strip around heel and sides for greater visibility
- › Extra thick in-sole for additional comfort
- › Energy absorbing heel
- › Water repellent upper
- › Padded ankle support

CE EN ISO 20345

S3

Front blocks raised to improve adhesion

Antistatic, oil resistant

Rough area to enhance ladder performance

Basix rubberized logo

Size indicator

Shock absorption and stress release airbag cell

Multi level stabilizing channels to improve water fluent channel

Sponge Padded Collar

Branded Tongue

Durable metallic eyelets

Robust shoe laces

Comfort upper fabric

Comfort fabric mesh

Steel toe cap impact 200 Joules

Extra Thick foam insole for added comfort

Oil resistant

Anti-slip PU Outer sole

Anti-Penetration Steel Midsole

Hi-VIZ Reflective strip

High Abrasion resistant

Genuine leather

Water resistant uppers

Sock absorber PU Layer



SUXCEED S3



CODE: 63903

SIZE: 38-47

- Metal free model, very lightweight and flexible for tradesmen, heavy industry, warehousing and logistics, services, humid environments
- EN ISO 20345:2011 – S3 SRC
- PU2D, highly slip resistant, resistant to oils and hydrocarbons, selfcleaning profile, shock absorber
- Oiled hydro suede leather upper resistant to liquid penetration, collar and gusset in water-repellent fabric, fabric eyelets
- Climate Airmesh lining, very resistant to abrasion, very good absorption of water vapour, quick-dry
- Metal-free toe cap
- Metal-free penetration resistant sole
- Removable insole, top in abrasion-resistant fabric
- Weight: 615 g in size 42

**REBEL CHEMITRAK BOOT****CODE: RE210-S3****SIZE: 4-13**

- A quality chemical, water and heat resistant, anti-penetration workboot. The ChemitrakS3 Boot is ISO 20345 and SABS approved. These specialised workboots have been designed to keep your feet safe in the harshest conditions.
- Full grain, high quality S2 (water resistant) – black treated waxy cow leather: high resistance to chemicals, heat, flame, oil and mould.
- 100% natural nitrile rubber sole – heat resistant up to 300°C
- Anti-penetration steel midsole
- Breathable and abrasion resistant blue Taibrella lining
- Wide profile carbon steel toe cap #459
- Nickel free D-rings
- Hydroseal waterproof lining

**REBEL HIKER BOOT****CODE: RE304BR****SIZE: 2-13**

- Full grain high quality waxy leather upper
- Lightweight dual density polyurethane sole
- Ultra-comfortable inner sole
- Maxi-grip outer sole – ensuring high durability and slip resistance
- Taibrelle moisture wicking lining
- Rustproof brass D-rings

**REBEL EXPEDITION LO****CODE: RE425BK****SIZE: 4-13**

- Adventure wear workboots designed to go anywhere. Our Adventure wear range offers you high performance outdoor styling. The ExpeditionHi is ISO 20345 and SABS approved.
- Nubuck leather upper
- Rubber toe-bumper for added scuff protection
- EVA/Rubber outside for high durability and comfort
- Tailbrelle moisture wicking lining
- Steel shank for torsional rigidity
- Hygienic removable cushioned inner sole with anti-microbial properties
- Anti-penetration nail guard sole
- Hydroseal waterproof lining

**REBEL EXPEDITION HI****CODE: RE424BK****SIZE: 4-13**

- Adventure wear workboots designed to go anywhere. Our Adventure wear range offers you high performance outdoor styling. The ExpeditionHi is ISO 20345 and SABS approved.
- Nubuck leather upper
- Rubber toe-bumper for added scuff protection
- EVA/Rubber outside for high durability and comfort
- Tailbrelle moisture wicking lining
- Steel shank for torsional rigidity
- Hygienic removable cushioned inner sole with anti-microbial properties
- Anti-penetration nail guard sole
- Hydroseal waterproof lining



## REBEL CHUKKA BOOT



CODE: RE811S1P

SIZE: 2-16

- Highly durable full leather upper
- Padded Bellows tongue for comfort and protection against sparks and shavings
- Lightweight dual density polyurethane sole
- Ultra comfortable inner sole
- Maxi-grip outer sole – ensuring high durability and slip resistance
- Tailbrelle moisture wicking lining
- Rustproof brass D-rings
- With steel mid sole



## REBEL THERMO TRAK HI



CODE: RE6S5072BK

SIZE: 4-14

- Sole cemented and stitched to upper ie. No sole separation
- Kevlaar stitching resistant to temperature and flame
- High temperature application maximum exposure of 300°C
- Oil resistant Acid resistant (Check application)
- Slip resistant tread pattern
- Resistant to penetration
- Tailbrelle moisture wicking lining
- Steel shank for torsional rigidity
- Hygienic removable cushioned innersole with anti-microbial properties



## REBEL CHELSEA BOOT



CODE: FX2-CB-S1P

SIZE: 3-13

- Quality, Durable Tear-Resistant Microfibre Upper with easy "pull-on" tabs. Full Removable Inner Soles. Steel Toe-Cap
- Sole resistant to 90°C (degrees Celsius)
- Steel mid-sole for anti-penetration
- Oil and acid resistant Dual Density PU
- Slip Resistance – Tested to SATRA PM144 1992
- Crack Resistance – Tested to 30,000 flex cycles
- Product is anti static.
- Electrical resistance can be significantly changed by flexing, contamination or moisture. Introduction of additional inner sole reduces static resistance



## REBEL BOOT



CODE: FX2-S1P

SIZE: 2-13

- Quality, Durable Tear-Resistant Split Leather Full Removable Inner Soles.
- Breathable and abrasion resistant Tailbrelle
- Steel mid-sole for anti-penetration
- Steel toe-cap
- Nickel free D-Rings
- Dual density Polyurethane sole







CODE: RE420BR

SIZE: 4-13

PLATINUM COLLECTION

- Full Grain high quality waxy smooth leather with PU collar and TPU back-counterreinforcing
- Extra thick
- Anti-static footbed with poron padding
- Breathable and abrasion resistant tai-brelle lining
- Dual density PU/Rubber heat resistant sole 300°
- Oil and Anti-static sole



CODE: RE429CH

SIZE: 4-13

PLATINUM COLLECTION

- Colour: Black, Grey
- 200 Joules, Antistatic, Microfibre
- Oil resistant, Shock absorbant, Slip resistant
- The new REBEL Safetygear Platinum Collection offers you the latest safety innovations in safety footwear products that are also built to look genuinely good and offer extreme comfort. The Lo-Topshoe is ISO 20345 approved. This style safety shoe offers you an easy slip-on solution with supreme comfort. A high quality, premium leather is used, while safety features include steel toe-cap, anti-static, oil resistance and heat resistance.



CODE: RE651BR

SIZE: 4-13

PLATINUM COLLECTION

- Full grain high quality waxy smooth leather with PU collar and TPU back-counterreinforcing
- Extra thick
- Anti-static footbed with poron padding
- Breathable and abrasion resistant tai-brelle lining
- Dual density PU/Rubber heat resistant sole 300°
- Oil and Anti-static sole



CODE: RE651BK

SIZE: 4-13

PLATINUM COLLECTION

- Full grain high quality waxy smooth leather with PU collar and TPU back-counterreinforcing
- Extra thick
- Anti-static footbed with poron padding
- Breathable and abrasion resistant tai-brelle lining
- Dual density PU/Rubber heat resistant sole 300°
- Oil and Anti-static sole



**REBEL**  
SAFETY GEAR

REBEL CRAZY HORSE TAN



CODE: RE652TA

SIZE: 4-13

PLATINUM COLLECTION

- Full grain high quality waxy smooth leather with PU collar and TPU back-counter reinforcing
- Extra thick
- Anti-static footbed with poron padding
- Breathable and abrasion resistant tai-brelle lining
- Dual density PU/Rubber heat resistant sole 300°
- Oil and Anti-static sole



**REBEL**  
SAFETY GEAR

REBEL CRAZY HORSE BROWN



CODE: RE652BR

SIZE: 4-13

PLATINUM COLLECTION

- Full grain high quality waxy smooth leather with PU collar and TPU back-counter reinforcing
- Extra thick
- Anti-static footbed with poron padding
- Breathable and abrasion resistant tai-brelle lining
- Dual density PU/Rubber heat resistant sole 300°
- Oil and Anti-static sole



**REBEL**  
SAFETY GEAR

REBEL CRAZY HORSE BLACK



CODE: RE652BK

SIZE: 4-13

PLATINUM COLLECTION

- Full grain high quality waxy smooth leather with PU collar and TPU back-counter reinforcing
- Extra thick
- Anti-static footbed with poron padding
- Breathable and abrasion resistant tai-brelle lining
- Dual density PU/Rubber heat resistant sole 300°
- Oil and Anti-static sole



**REBEL**  
SAFETY GEAR

DYNAPRO MENS SHOE



CODE: RE316

SIZE: 4-13

- 200J Composite (non-metallic) toe cap
- Klyknit woven mesh upper
- TPU trim with reinforced heel and to bumper upper
- EVA (Phylon) grey midsole & rubber outside
- Black taibrelle mesh lining
- Ultra thick PU foam with mesh top lining footbed
- Colour Dark Grey
- ISO 20345 Classification S1 (Impact 200 joules, anti-static, energy absorption of seat region, anti-static properties)
- Slip resistance classification SRA /SRB /SRC: SRA (tested for slip resistance in environments of ceramic surfaces with soapy solution)
- Construction Cemented • SABS approved



**REBEL RIGGERS BOOT**



**CODE: RE912**

**SIZE: 4-13**

- The Rigger Boot is a water and heat resistant non-metallic rigger work boot that features a water resistant upper, a mid sole which includes high density mesh for anti-penetration, and a heat resistant outsole (up to 300° Celsius).
- The Rigger boot is highly recommended for the fishing and allied industries, mining, chemical, petrochemical, refineries, welders/foundries and smelters.
- The Rigger Boot is ISO 20345 and SABS approved.
- 200J Steel toe, Anti-penetration, Anti-static, Genuine leather, Heat resistant 300°, Non-metallic, Oil resistant, Shock absorbent, Slip resistant, Water resistant



**REBEL STEALTHBOOT**



**CODE: GLO-830**

**SIZE: 3-13**

- Lightweight construction ensures wearer comfort
- Metal-free construction assists security measures
- Full-bed kevlar midsole prevents penetration of sharp objects
- Composite toe cap regains its original shape after impact
- Fully padded collar ensures wearer comfort
- Dual-density PU sole ensures maximum comfort and increased durability
- Temperature maximum 90°C
- Oil and acid resistant PU/Rubber
- Slip resistance - Tested to SATRA PM 144 1992
- Crack resistance - Tested to 30,000 flex cycles



**REBEL BLACK HAWK SECURITY BOOT**



**CODE: RE-911**

**SIZE: 3-15**

- The Black Hawk S3 Boot is a close quarter combat work boot made from heavy duty canvas with a water-resistant coating for breathability and quick drying.
- The Black Hawk S3 features a steel midsole for anti-penetration, is easily removable with a quick release concealed YKK side zip and has a toe bumper for added scuff protection.
- The Black Hawk is ISO 20345, SABS and NRCS approved.
- 200J Steel toe, Anti-penetration, Anti-static, Genuine leather, Oil resistant, Shock absorbent, Slip resistant, Water resistant



**MINERS BOOT**



**CODE: RE 954**

**SIZE: 4-14**

- The Miner Boot is a heavy duty ultra-comfortable work boot designed for use in tough environments.
- A heat resistant outsole (up to 300° Celsius), steel midsole for anti-penetration and a Poron XRD built-in metatarsal guard ensure ultimate protection.
- A TPU toe bumper for scuff protection and TPU heel support guard provide added protection and support.
- The Miner Boot is ISO 20345 and SABS approved.
- 200J Steel toe, Anti-penetration, Anti-static, Genuine leather, Heat resistant 300°, Metatarsal Protection, Oil resistant, Shock absorbent, Slip resistant, Water resistant



## REBEL JIGGA BOOT



CODE: RE 5174

SIZE: 4-13

- A heat resistant work boot that is ideal for environments that involve heat and/or electricity.
- 200J composite non-metallic toe cap, is heat resistant up to 300° Celsius and is arc flash compliant with ESKOM SPEC 34-232.
- ISO 20345, SABS and NRCS approved.
- 200J Steel toe, Arc Flash, Genuine leather, Heat resistant 300°, Non-metallic, Oil resistant, Shock absorbent, Slip resistant



## REBEL CHUKKA SHOE



CODE: RE 380

SIZE: 2-16

- The Chukka Shoe is Africa's iconic work shoe.
- A traditional shoe that incorporates the essential combination of safety features in a stylish lace-up design.
- 200J steel toe cap and protective toe bumper for added scuff protection.
- Hi-Viz reflective strips provide added visibility.
- ISO 20345, SABS and NRCS approved.
- 200J Steel toe, Anti-static, Genuine leather, Oil resistant, Reflective tape, Shock absorbent, Slip resistant



## REBEL KONTRAKTABOOT



CODE: RE128

SIZE: 3-13

- ISO 20345 CLASSIFICATION SB
- SLIP RESISTANCE CLASSIFICATION SRA /SRB /SRC SRA
- Injection moulded construction process
- SABS approved and mark bearing
- High quality barton print split leather
- Dual density polyurethane (PU) sole
- Nickel free D-rings eyelets
- Black taibrelle mesh and microfiber lining
- 200J steel toe cap
- Moulded polyurethane (PU); taibrelle mesh upper with contoured heel and arch



## REBEL KONTRAKTASHOE



CODE: RE128S

SIZE: 3-13

- ISO 20345 CLASSIFICATION SB
- SLIP RESISTANCE CLASSIFICATION SRA /SRB /SRC SRA
- Injection moulded construction process
- SABS approved and mark bearing
- High quality barton print split leather
- Dual density polyurethane (PU) sole
- Nickel free D-rings eyelets
- Black taibrelle mesh and microfiber lining
- 200J steel toe cap
- Moulded polyurethane (PU); taibrelle mesh upper with contoured heel and arch





CODE: RE0808

SIZE: 4-13

- COLOUR Black with grey only
- ISO 20345 CLASSIFICATION S1 – anti-static, energy absorption of seat region, resistance to fuel and oil
- SLIP RESISTANCE CLASSIFICATION SRA /SRB /SRC SRA
- SABS approved and mark bearing
- High quality durable mesh and Nubuck leather with rubber toe bumper for added scuff protection
- Dual density EVA and rubber sole
- Nickel-free eyelets
- Breathable and abrasion resistant taibrelle lining
- 200J steel toe cap
- Moulded polyurethane (PU); taibrelle mesh upper with contoured heel and arch



CODE: RE942

SIZE: 5-13

- Features a modern, sleek and sporty designed upper which includes a combination of grey oxford mesh and a Nubuck back guard with TPU Trim resulting in excellent fit and comfort.
- It is a lightweight, stylish safety shoe with a 200J steel toe cap and electrostatic discharge properties (ESD).
- Also available in a ladies colour option and is ISO 20345 and SABS approved.
- 200J Steel toe, Anti-static, Electrostatic discharge, Microfiber, Oil resistant, Shock absorbent, Slip resistant



CODE: SOCKSGY-L

SIZE: L (UK 8-12)

- Cotton-rich socks for extra comfort and cooling ability, with elasticity for a snug shape.
- Extra-thick Terry towel weave along the heel, sole and over the toes for provide additional padding.
- A choice of two sizes is available to ensure a better fit, as opposed to the usual "one size, fits all".
- Material: 85% Cotton, 8% Nylon, 5% Polyester, 2% Elastane



CODE: REOVS

SIZE: S/M/L

- A lightweight unisex safety visitor overshoe that features an aluminium toe cap with a durable and flexible rubber anti-slip sole.
- An adjustable Velcro strap ensures a custom and comfortable fit for any wearer.
- Available in three sizes to cover a size range from UK size 2 -13+.

## REBEL LADIES THULI BOOT



CODE: RE940

SIZE: 2-8

- An ultra-comfortable and elegant ladies safety chelsea boot that features a 200J steel toe cap, slip resistant sole and is heat resistant up to 120° Celsius.
- The Thuli is ISO 20345 and SABS approved.
- 200J Steel toe, Anti-static, Ladies, Microfiber, Oil resistant, Shock absorbent, Slip resistant



## REBEL LADIES LIGHT INDUSTRIAL



CODE: RE941

SIZE: 2-8

- The Ladies light Industrial shoe features a modern, sleek and sporty designed upper which includes a combination of grey oxford mesh and a Nubuck back guard with TPU Trim resulting in excellent fit and comfort.
- A lightweight, stylish safety shoe with a 200J steel toe cap and electrostatic discharge properties (ESD).
- Available in a men's colour option and is ISO 20345 and SABS approved.
- 200J Steel toe, Anti-static, Electrostatic discharge, Ladies, Microfiber, Oil resistant, Shock absorbent, Slip resistant



## REBEL LADIES NALA BOOT



CODE: RE129

SIZE: 2-8

- The Nala is an ultra-comfortable ladies lace-up safety boot that features a high quality microfiber upper
- 200J steel toe cap and slip resistant sole
- Slim ultra-comfortable safety boot
- ISO 20345 and SABS approved.
- 200J Steel toe, Anti-static, Ladies, Microfiber, Oil resistant, Shock absorbent, Slip resistant



## REBEL LADIES KITOSHOE



CODE: RE683

SIZE: 2-8

- Ultra-comfortable and elegant ladies slip-on safety shoe that features a 200J steel toe cap and slip resistant sole.
- ISO 20345 and SABS approved.
- High quality microfiber; polyurethane (PU) collar; easy elasticated slip-on design
- Dual density polyurethane (PU) sole
- Black and pink taibrelle mesh and microfiber lining
- 200J steel toe cap
- EVA foam with mesh top lining



		200 STEEL TOE CAP	SIP RESISTANT	CHEMICAL RESISTANT	WATER RESISTANT	ANTIPENETRATION	REFLECTIVE TAPE	METABASAL PROTECTION	HEAT RESISTANT UP TO 300°	SHOCK ABSORBENT	GENUINE LEATHER	MICROFIBER	NO STEEL TOE CAP	OIL RESISTANT	HACCP APPROVED	COLD RESISTANT	WELDING	NONMETALLIC	ARC FLASH	ELECTROSTATIC DISCHARGE	ANTISTATIC	ZIP
TRADITIONAL	RE811	CHUKKA BOOT	◆	◆			◆		◆	◆			◆								◆	
	RE811-BR	CHUKKA BOOT	◆	◆			◆		◆	◆			◆								◆	
	RE380	CHUKKA SHOE	◆	◆			◆		◆	◆			◆								◆	
	RE128	KONTRAKTA BOOT	◆	◆			◆		◆	◆			◆								◆	
	RE128-S	KONTRAKTA SHOE	◆	◆			◆		◆	◆			◆								◆	
	FX2-S1P	FX2 BOOT	◆	◆		◆			◆	◆			◆								◆	
	FX2-S	FX2 SHOE	◆	◆					◆	◆			◆								◆	
	FX2-CB-S1P	FX2 CHELSEA BOOT	◆	◆			◆		◆	◆			◆								◆	
	FX2-CB-BR	FX2 CHELSEA BOOT	◆	◆			◆		◆	◆			◆								◆	
	RE304-BK	HIKER HI BOOT	◆	◆					◆	◆			◆								◆	
RE304	HIKER HI BOOT	◆	◆					◆	◆			◆								◆		
RE303-BK	HIKER LO SHOE	◆	◆					◆	◆			◆								◆		
RE508 (NST)	WORKPRO SHOE		◆								◆	◆	◆									
PREMIUM	RE942	LIGHT INDUSTRIAL SHOE	◆	◆					◆				◆							◆	◆	
	RE0808	ENDURO-MAX SHOE	◆	◆				◆	◆	◆			◆							◆	◆	
	RE316	DYNAPRO SHOE	◆	◆					◆				◆							◆	◆	
	RE424-BK	EXPEDITION HI BOOT	◆	◆		◆	◆		◆	◆			◆							◆	◆	
	RE424-BR	EXPEDITION HI BOOT	◆	◆		◆	◆		◆	◆			◆							◆	◆	
	RE425-BK	EXPEDITION LO SHOE	◆	◆		◆	◆		◆	◆			◆							◆	◆	
	RE506-BK	CLASSIC BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE506-BK-NST	CLASSIC BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE204-BR	CLASSIC BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE204-BR-NST	CLASSIC BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE203-BK	CLASSIC SHOE	◆	◆					◆	◆			◆							◆	◆	
	RE652-TA	CRAZY HORSE BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE652-BK	CRAZY HORSE BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE652-BR	CRAZY HORSE BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE651-BK	HAVOC BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE651-BR	HAVOC BOOT	◆	◆					◆	◆			◆							◆	◆	
RE420-BR	HI-TOPBOOT	◆	◆					◆	◆			◆							◆	◆		
RE429-CH	LO-TOPSHOE	◆	◆					◆	◆			◆							◆	◆		
SPECIALISED	GLO830-S1P	NON-METALLIC BOOT	◆	◆		◆			◆	◆			◆				◆			◆	◆	
	RE658072-BK	THERMOTRAK HI BOOT	◆	◆				◆	◆	◆			◆			◆	◆			◆	◆	
	RE5174	JIGGA BOOT	◆	◆				◆	◆	◆			◆				◆	◆		◆	◆	
	RE210-S3	CHEMITRAK S3 BOOT	◆	◆	◆	◆	◆		◆	◆			◆							◆	◆	
	GLO68GY	HYGIENE BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE608-S3	S3 TECHNICAL BOOT	◆	◆			◆		◆	◆			◆							◆	◆	
	RE912	RIGGER BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE954	MINER BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE911-S3	BLACK HAWK S3 BOOT	◆	◆					◆	◆			◆							◆	◆	◆
	RE801	GLIDER SHOE	◆	◆					◆	◆			◆							◆	◆	
REOV5	SAFETY OVERSHOE	◆	◆									◆							◆	◆		
LADIES	RE129	NALA BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE682	IMAN SHOE	◆	◆					◆	◆			◆							◆	◆	
	RE974	ZARI SHOE	◆	◆					◆	◆			◆							◆	◆	
	RE940	THULI CHELSEA BOOT	◆	◆					◆	◆			◆							◆	◆	
	RE683	KITO SHOE	◆	◆					◆	◆			◆							◆	◆	
	RE941	LIGHT INDUSTRIAL SHOE	◆	◆					◆	◆			◆							◆	◆	



# REBEL

S A F E T Y G E A R

THERMOTRAK-HI | JIGGA | HIKER | CRAZY HORSE